

Homework 2

Due January 16 in mailbox or by email ¹

- Exercise 1 - Private Vectors

Alice has two unit vectors, $\mathbf{x}, \mathbf{y} \in \mathbb{R}^n$. Bob wants to know the value $\mathbf{x} \cdot \mathbf{y}$. He is allowed to choose any vector $\mathbf{v} \in \mathbb{R}^n$, send \mathbf{v} to Alice and she will send him $\mathbf{v} \cdot \mathbf{x}$ and $\mathbf{v} \cdot \mathbf{y}$.

- a. Can Bob compute $\mathbf{x} \cdot \mathbf{y}$ using fewer than n queries?
- b. Suppose Bob wants to estimate² the dot product $\mathbf{x} \cdot \mathbf{y}$. Design an algorithm for Bob that uses the fewest possible queries to Alice to estimate $\mathbf{x} \cdot \mathbf{y}$.

- Exercise 2 - Jaccard Distance

Let U denote a universe of N items. Let $A \subseteq U$ and $B \subseteq U$ denote two sets, each containing n unique items, where $n < N$. The *Jaccard distance* between A and B is defined as

$$\frac{A \Delta B}{A \cup B},$$

where $A \Delta B$ is the symmetric difference of the sets A and B (i.e., the number of elements in $A \setminus B$ plus the number of elements in $B \setminus A$).

1. Suppose that A and B are each constructed by (independently) choosing an n -item subset of U uniformly at random among all such subsets. What is the expected value of the Jaccard distance between A and B ?
2. *Prove or disprove:* The Jaccard distance obeys the triangle inequality. (The *triangle inequality* holds if $d(A, B) \leq d(A, C) + d(B, C)$ for any three sets $A, B, C \subseteq U$.)

- Exercise 3 - Small-Set Expansion on the Hypercube

A graph $G = (V, E)$ is a (δ, ϵ) -small-set expander if for all subsets of vertices $S \subset V$ such that $|S| = \delta|V|$,³

$$\frac{E(S, \bar{S})}{\sum_{v \in S} \deg(v)} \geq 1 - \epsilon.$$

A *hypercube* is a graph on 2^n vertices, where each vertex corresponds to a (distinct) length- n binary string. Two vertices are connected by an edge if their respective binary strings differ in exactly one bit. For what values of ϵ, δ is the hypercube a (δ, ϵ) -small-set expander?

¹Homework submitted by email must be written using LaTeX and attached in .pdf format.

²By *estimate*, we mean compute a multiplicative $1 \pm \epsilon$ or an additive $\pm \epsilon$ approximation, whichever is larger.

³If you prefer to use the constraint $|S| \leq \delta|V|$ rather than $|S| = \delta|V|$, you are free to do so.

- Exercise 4 - Unique Games and Cycle Covers

Suppose we are given a cubic graph $G = (V, E)$ and a constraint $x_i - x_j \equiv c_{ij} \pmod{p}$ for each edge $ij \in E$. Our objective is to find an assignment from $[0, p)$ to the variables $\{x_i\}$ that maximizes the number of satisfied constraints.

- a. Give a $\frac{2}{3}$ -approximation algorithm for this problem.
- b. Suppose that G has a cycle cover containing at least $\frac{n}{10}$ cycles. Give an approximation algorithm for this problem with the best approximation factor you can find. (A *cycle cover* is a subgraph of G with vertex set V and edgeset $F \subset E$ such that each vertex $v \in V$ has degree exactly two.)

- Exercise 5 - Spectral Partitioning

- a. Give an example of a d -regular graph G in which the spectral partitioning algorithm (Lecture 8) has an output close to its upper bound.
- b. Give an example of a d -regular graph G in which the spectral partitioning algorithm has a output close to the lower bound (i.e., close to $\lambda_2(G)/2$).

- Exercise 6 - Local Connectivity

Assume that $G = (V, A)$ is an directed, unweighted graph such that the solution for the linear programming relaxation for ATSP on G has value $|V|$. Give an algorithm for Local-Connectivity ATSP that is 2-light.